J.RADIOANAL.NUCL.CHEM.,LETTERS 135 /6/ 461-470 /1989/

Index to Volume 135

AUTHOR INDEX

Aarkrog, A., see Chen, Q.J., 117

Abzouzi, A., Antony, M.S., Ndocko Ndongué, V.B.: Precision measurements of the half-lives of nuclides, 1

Abzouzi, A., Antony, M.S., Ndocko Ndongué, V.B.: Re-evaluation of the half-lives of several nuclides, 455

Antony, M.S., see Abzouzi, A., 1, 455

Ahmad, G., see Khan, H.M., 237

Ahmed, M.A., see Mouse, M.A., 99

Alfassi, Z.B., Sellschop, J.P.F.: Simultaneous determination of boron and lithium by activation analysis, 341

Atcher, R.W., Friedman, A.M., Huizenga, J.R., Spencer, R.P.: A radionuclide generator for the production of ^{211}Pb and its daughters, 215

Badawy, A.M., see Mouse, M.A., 99

Bánkuti, J., see Kuzmann, E., 373

Bhatia, D.S., Turel, Z.R.: Solvent extraction of Re/VII/ with methylene blue into nitrobenzene, 85

Bhatia, D.S., Turel, Z.R.: Solvent extraction of ^{99m}Tc/VII/ with methylene blue into nitrobenzene, 77

Bild, R.W., Karnowsky, M.M., Yost, F.G.: Imaging salt creep by autoradiography of $^{36}Cl^-$-tagged salt grains, 177

Elsevier Sequoia S. A., Lausanne
Akadémiai Kiadó, Budapest

ATHOR INDEX

Broulík, P., see Pilecká, N., 429

Bumbálová, A., see Havránek, E., 321

Çela, A., see Lesný, J., 9

Čulák, L., see Lesný, J., 9

Chabria, N., see Ravishankar, D., 265

Chen, Q.J., Nielsen, S.P., Aarkrog, A.: Preparation of thin alpha sources by electrospraying for efficiency calibration purposes, 117

Cretella, R.F., see Lukaszew, R.A., 93

Çuçi, T., Thereska, J., Dhamo, N., Plasari, E.: Radiotracer determination of dynamic parameters of a superphosphate granulator, 449

Das, H.A., Zonderhuis, J.: On the corrections for electronic losses in the γ-spectrometry of short-lived radionuclides, 409

Dembiński, W., Goroncek, K.: Isotope exchange between U/III/ and U/IV/ in the HCl-TBF extraction system, 141

Dhamo, N., see Çuçi, T., 449

Dryák, P., Kovář, P., Plchová, L., Šuráň, J.: Corrections for the Marinelli geometry, 281

El-Amri, F.A., Saleh, A.I., El-Gnidy, B.A.: Determination of trace element concentrations of Libyan chewing and cigarette tobacco by INAA, 273

El-Gnidy, B.A., see El-Amri, F.A., 273

Erdtmann, G., see Rao, V.R.S., 247, 257

Feinendegen, L.E., see Schultz, W.E., 199

Filgas, R., see Hölgye, Z., 17

Friedman, A.M., see Atcher, R.W., 215

Gautier, E., Marrero, J., Servant, R.: Determination of trace impurities in cobalt by spark source mass spectrometry, 333

Gliva, V.B., Novikov, Yu.P., Myasoedov, B.F.: The photoluminescence of crystallophosphors on the base of $NaBi/WO_4/_2$ activated by americium, plutonium and neptunium, 307

Goroncek, K., see Dembiński, W., 141

Gorski, B., Korotkin, Yu.S., Kosyakov, V.N.: Selective concentration of the lanthanides with simultaneous purification from scandium, 27

Halász, I., see Kuzmann, E., 373

Harangozó, M., see Havránek, E., 321

Hashimoto, K., Yamada, Y., Omori, T., Yoshihara, K.: Synthesis of chlorobis/β-diketonato/oxotechnetium/V/ and tris/β-diketonato/technetium/III/ complexes, 187

Hashimoto, K., see Sekine, T., 207

Havránek, E., Bumbálová, A., Harangozó, M.: Contribution to the sample preparation in the radionuclide X-ray fluorescence analysis of hair, 321

Hileman, O.E., Jr., see Paige, C.R., 299

Hirano, K., see Oohashi, K., 419

Hölgye, Z., Filgas, R., Pešková, V.: Results of three years of monitoring $^{239,240}Pu$ and ^{238}Pu concentrations in airborne effluents from the V-1 nuclear power plant with VVER 440 reactors in Jaslovské Bohunice in Czechoslovakia, 17

Homonnay, Z., see Kuzmann, E., 373

Hubert, J.-C., see MacCordick, H.J., 349

Huizenga, R.J., see Atcher, R.W., 215

Igarashi, Y., Yamakawa, A., Oki, Y., Seki, R., Ikeda, N.: Consideration on intake of uranium through smoking, 157

Ikeda, N., see Igarashi, Y., 157

Illés, Z., see Milesz, S., 231

Imanishi, N., see Sekine, T., 207

Itoh, M., see Yamada, Y., 381

Jačimović, R., see Jovanović, S., 59

Jansta, V.: Determination of ^{131}I in milk using heterogeneous liquid scintillation counting, 313

Jovanović, S., Smodiš, B., Jačimović, R., Vukotić, P., Stegnar, P.: Neutron flux variability at the TRIGA MARK II reactor, Ljubljana, as a parameter with applying the k_o-method of NAA, 59

Južnič, A., see Južnič, K., 293

Južnič, K., Koponen, M.H., Južnič, A.: Transfer of ^{210}Pb and ^{210}Po to the environment during mining and processing of uranium ores, 293

Kaji, A., see Yamada, Y., 381

Kaji, H., see Sekine, T., 207

Kalecińska, E.: Radiation chemical processes in methanolic solutions of rhodium acetylacetonates, 131

Karnowsky, M.M., see Bild, R.W., 177

Kedhi, M.: Radiotracer study of deposition caused by suspended sediments of river Seman, 395

Khan, H.M., Ahmad, G., Sattar, A.: Effects of humidity and light on dosimetric properties of clear polymethylmethacrylate, 237

Kiriyama, N., see Yamada, Y., 381

Kirschner, I., see Kuzmann, E., 373

Klas, J., see Lesný, J., 9

Komura, K., see Yamada, Y., 381

Koponen, M.H., see Južnič, K., 293

Kornicker, W.A., see Paige, C.R., 299

Korotkin, Yu.S., see Gorski, B., 27

Kosyakov, V.N., see Gorski, B., 27

Kovář, P., see Dryák, P., 281

Kurenkov, N.V., Malinin, A.B., Sebyakin, A.A., Venikov, N.I.: Excitation functions of proton-induced nuclear reactions on ^{124}Xe: Production of ^{123}I, 39

Kuzmann, E., Homonnay, Z., Vértes, A., Halász, I., Bánkuti, J., Kirschner, I.: Mössbauer study of high T_c superconductors, 373

Lengyel, T., see Le Tuong Minh, 233, 403

Lesný, J., Tölgyessy, J., Čulák, L., Klas, J., Novruzi, B., Çela, A.: The sub- and super-equivalence method of isotope dilution analysis. Determination of progesterone, 9

Le Tuong Minh, Lengyel, T.: Extraction of technetium from aqueous medium with the aid of crown ethers dissolved in benzene-acetone mixture, 223

Le Tuong Minh, Lengyel, T.: On the separation of molybdenum and technetium. Crown ether as extraction agent, 403

Lukaszew, R.A., Marrero, J.G., Noutary, C., Cretella, R.F.: Control of the $^{10}B/^{11}B$ isotopic ratios in H_3BO_3 samples by SSMS, 93

MacCordick, H.J., Hubert, J.-C., Schleiffer, J.J.: Selective adsorption of europium/III/ and americium/III/ in non-proliferative mycobacterial suspensions, 349

Machulla, H.-J., see Schultz, W.E., 199

Malinin, A.B., see Kurenkov, N.V., 39

Marrero, J., see Gautier, E., 333

Marrero, J.G., see Lukaszew, R.A., 93

Milesz, S., Molnár, J., Illés, Z., Sándor, A.: Determination of ion mobilities by IBM PC controlled nuclear electromigratic method, 231

Milyukova, M.S., see Varezhkina, N.S., 67

Molnár, J., see Milesz, S., 231

Mori, K., see Oohashi, K., 419

Mouse, M.A., Ahmed, M.A., Summan, A.M., Badawy, A.M.: Gamma-irradiation effects on the electrical conductivity of some two dimensional complexes $RMnCl_4$, $RCoCl_4$ and $RMn_{0.5}Co_{0.5}Cl_4$; $R = H_3\overset{+}{N}/CH_2/_8\overset{+}{N}H_3$, 99

Myasoedov, B.F., see Gliva, V.B., 307

Myasoedov, B.F., see Varezhkina, N.S., 67

Ndocko Ndongué, V.B., see Abzouzi, A., 1, 455

Nielsen, S.P., see Chen, Q.J., 117

Novikov, Yu.P., see Gliva, V.B., 307

Noutary, C., see Lukaszew, R.A., 93

Novruzi, B., Tölgyessy, J.: Determination of zinc in environmental water by displacement substoichiometric isotope dilution analysis /DSIDA/, 147

Novruzi, B., see Lesný, J., 9

Obrusník, I., see Pilecká, N., 429

Oki, Y., see Igarashi, Y., 157

Omori, T., see Hashimoto, K., 187

Oohashi, K., Mori, K., Hirano, K.: Tritiation of toluene with HTO, 419

Ötvös, L., see Szammer, J., 125

Paige, C.R., Hileman, O.E., Jr., Kornicker, W.A., Snodgrass, W.J.: The formation of hetero-epitaxial deposits of lead, barium and (barium/lead) sulfates on quartz surfaces, 299

Pešková, V., see Hölgye, Z., 17

Petri, H., see Rao, V.R.S., 247, 257

Pilecká, N., Raković, M., Obrusník, I., Broulík, P.: A comparison of INAA and ISE for the determination of calcium in human hair, 429

Plasari, E., see Çuçi, T., 449

Plchová, L., see Dryák, P., 281

Raković, M., see Pilecká, N., 429

Ramamurthy, T.V., Ravi, S., Viswanathan, K.V.: Degradation studies of ^{14}C labelled p-fluorophenylacetic acid prepared by exchange reaction, 111

Rao, V.R.S., Erdtmann, G., Petri, H.: Extent of exchange of bromine-82 with bromamine-T in strong acid medium, 257

Rao, V.R.S., Erdtmann, G., Petri, H.: Preparation of radioactive bromamine-T by isotope exchange with radioactive bromine, 247

Rao, V.R.S., see Subhashini, M., 359

Ravi, S., see Ramamurthy, T.V., 111

Ravishankar, D., Chabria, N.: Chemical effects induced by γ-irradiated ammonium chloride in aqueous medium, 265

Saleh, A.I., see El-Amri, F.A., 273

Sándor, A., see Milesz, S., 231

Sattar, A., see Khan, H.M., 237

Schleiffer, J.J., see MacCordick, H.J., 349

Schultz, W.E., Machulla, H.-J., Feinendegen, L.E.: Synthesis of 1-^{14}C-17-iodoheptadecanoic acid, 199

Sebyakin, A.A., see Kurenkov, N.V., 39

Seki, R., see Igarashi, Y., 157

Sekine, T., Hashimoto, K., Kaji, H., Yoshihara, K., Imanishi, N., Yoshimura, Y.: Pionic X-ray intensity ratios in chromium compounds, 207

Sellschop, J.P.F., see Alfassi, Z.B., 341

Servant, R., see Gautier, E., 333

Shetty, S.S., Turel, Z.R.: Radiochemical separation of Ru/III/ with 2-mercaptobenzothiazole into chloroform employing solvent extraction technique, 51

Simon-Trompler, E., see Szammer, J., 125

Smodiš, B., see Jovanović, S., 59

Snodgrass, W.J., see Paige, C.R., 299

Spencer, R.P., see Atcher, R.W., 215

Stegnar, P., see Jovanović, S., 59

Sterliński, S., see Wasek, M., 389

Subhashini, M., Subramanian, M.S., Rao, V.R.S.: Kinetics of isotopic exchange between chloramine-B and radioactive chloride, 359

Subramanian, M.S., see Subhashini, M., 359

Summan, A.M., see Mouse, M.A., 99

Šuráň, J., see Dryák, P., 281

Szammer, J., Simon-Trompler, E., Ötvös, L.: Catalysis of thermal exchange reactions between carboxyl groups and $^{14}CO_2$, 125

Teherani, D.K., see Tran Van, L., 435, 443

Thereska, J., see Çuçi, T., 449

Tölgyessy, J., see Lesný, J., 9

Tölgyessy, J., see Novruzi, B., 147

Tran Van, L., Teherani, D.K.: Determination of trace elements and heavy metals in a lake sediment by NAA, 435

Tran Van, L., Teherani, D.K.: Determination of trace elements in biological material by NAA, 443

Turel, Z.R., see Bhatia, D.S., 77, 85

Turel, Z.R., see Setty, S.S., 51

Ueno, K., see Yamada, Y., 381

Varezhkina, N.S., Milyukova, M.S., Myasoedov, B.F.: Extraction of rare earth elements by primary high molecular weight amines from hydrochloric acid solutions, 67

Venikov, N.I., see Kurenkov, N.V., 39

Vértes, A., see Kuzmann, E., 373

Viswanathan, K.V., see Ramamurthy, T.V., 111

Vobecký, M.: Efficient ion-exchange separation of americium, curium and californium using α-hydroxy-α-methylbutyrate, 165

Vobecký, M.: Nuclear interferences uranium and thorium in a reactor neutron activation analysis determination of cerium using the radionuclides ^{141}Ce and ^{143}Ce, 171

Vukotić, P., see Jovanović, S., 59

Wasek, M., Sterliński, S.: Some complementary data on response characteristics of high-resolution gamma-ray spectrometers at high count rates as used in activation analysis, 389

Yamada, Y., Kaji, A., Itoh, M., Kiriyama, N., Komura, K., Ueno, K.: ^{14}C concentration of liberated CO_2 in the free fermentation process of Japanese SAKE brewing, 381

Yamada, Y., see Hashimoto, K., 187

Yamakawa, A., see Igarashi, Y., 157

Yoshihara, K., see Hashimoto, K., 187

Yoshihara, K., see Sekine, T., 207

Yoshimura, Y., see Sekine, T., 207

Yost, F.G., see Bild, R.W., 177

Zonderhuis, J., see Das, H.A., 409